

Chlorella

From Wikipedia, the free encyclopedia

Chlorella is a genus of single-cell green algae belonging to the phylum Chlorophyta. It is spherical in shape, about 2 to 10 μm in diameter, and is without flagella. *Chlorella* contains the green photosynthetic pigments chlorophyll-a and -b in its chloroplast. Through photosynthesis, it multiplies rapidly, requiring only carbon dioxide, water, sunlight, and a small amount of minerals to reproduce.^[1]

The name *Chlorella* is taken from the Greek *χλωρός*, *chloros*, meaning green, and the Latin diminutive suffix *ella*, meaning small. German biochemist and cell physiologist Otto Heinrich Warburg, awarded with the Nobel Prize in Physiology or Medicine in 1931 for his research on cell respiration, also studied photosynthesis in *Chlorella*. In 1961, Melvin Calvin of the University of California received the Nobel Prize in Chemistry for his research on the pathways of carbon dioxide assimilation in plants using *Chlorella*.


Many people believe *Chlorella* can serve as a potential source of food and energy because its photosynthetic efficiency can, in theory, reach 8%,^[2] which exceeds that of other highly efficient crops such as sugar cane.

Contents

- 1 As a food source
 - 1.1 History
 - 1.2 Current status
 - 1.2.1 Production difficulties
- 2 Use in carbon dioxide reduction and oxygen production
- 3 Alternative medicine
- 4 Health concerns
- 5 Aquaria
- 6 See also
- 7 References

As a food source

Chlorella



Chlorella regularis

Scientific classification

Domain: Eukaryota

Kingdom: Viridiplantae

Division: Chlorophyta

Class: Trebouxiophyceae

Order: Chlorellales

Family: Chlorellaceae

Genus: ***Chlorella***

Species

- *Chlorella autotrophica*
- *Chlorella coloniales*
- *Chlorella lewinii*
- *Chlorella minutissima*
- *Chlorella pituita*
- *Chlorella pulchelloides*
- *Chlorella pyrenoidosa*
- *Chlorella rotunda*
- *Chlorella singularis*
- *Chlorella sorokiniana*
- *Chlorella variabilis*

Chlorella is a potential food source because it is high in protein and other essential nutrients; when dried, it is about 45% protein, 20% fat, 20% carbohydrate, 5% fiber, and 10% minerals and vitamins. Mass-production methods are now being used to cultivate it in large artificial circular ponds. It is also abundant in calories and vitamins.^[3]

- *Chlorella volutis*
- *Chlorella vulgaris*

When first harvested, *Chlorella* suggested as an inexpensive protein supplement to the human diet. Advocates sometimes focus on other supposed health benefits of the algae, such as claims of weight control, cancer prevention, and immune system support.^[3] According to the American Cancer Society, "available scientific studies do not support its effectiveness for preventing or treating cancer or any other disease in humans".^[4]

Under certain growing conditions, *Chlorella* yields oils that are high in polyunsaturated fats—*Chlorella minutissima* has yielded EPA at 39.9% of total lipids.^[5]

History

Following global fears of an uncontrollable human population boom during the late 1940s and the early 1950s, *Chlorella* was seen as a new and promising primary food source and as a possible solution to the then-current world hunger crisis. Many people during this time thought hunger would be an overwhelming problem and saw *Chlorella* as a way to end this crisis by providing large amounts of high-quality food for a relatively low cost.^[3]

Many institutions began to research the algae, including the Carnegie Institution, the Rockefeller Foundation, the NIH, UC Berkeley, the Atomic Energy Commission, and Stanford University. Following World War II, many Europeans were starving, and many Malthusians attributed this not only to the war, but also to the inability of the world to produce enough food to support the increasing population. According to a 1946 FAO report, the world would need to produce 25 to 35% more food in 1960 than in 1939 to keep up with the increasing population, while health improvements would require a 90 to 100% increase.^[3] Because meat was costly and energy-intensive to produce, protein shortages were also an issue. Increasing cultivated area alone would go only so far in providing adequate nutrition to the population. The USDA calculated that, to feed the U.S. population by 1975, it would have to add 200 million acres (800,000 km²) of land, but only 45 million were available. One way to combat national food shortages was to increase the land available for farmers, yet the American frontier and farm land had long since been extinguished in trade for expansion and urban life. Hopes rested solely on new agricultural techniques and technologies. Because of these circumstances, an alternative solution was needed.

To cope with the upcoming post-war population boom in the United States and elsewhere, researchers decided to tap into the unexploited sea resources. Initial testing by the Stanford Research Institute showed *Chlorella* (when growing in warm, sunny, shallow conditions) could convert 20% of solar energy into a plant that, when dried, contains 50% protein.^[3] In addition, *Chlorella* contains fat and vitamins. The plant's photosynthetic efficiency allows it to yield more protein per unit area than any other plant—one scientist predicted 10,000 tons of protein a year could be produced with just 20

workers staffing a one-thousand-acre (4-square kilometer) *Chlorella* farm.^[3] The pilot research performed at Stanford and elsewhere led to immense press from journalists and newspapers, yet did not lead to large-scale algae production. *Chlorella* seemed like a viable option because of the technological advances in agriculture at the time and the widespread acclaim it got from experts and scientists who studied it. Algae researchers had even hoped to add a neutralized *Chlorella* powder to conventional food products, as a way to fortify them with vitamins and minerals.^[3]

When the preliminary laboratory results were published, the scientific community at first backed the possibilities of *Chlorella*. *Science News Letter* praised the optimistic results in an article entitled "Algae to Feed the Starving". John Burlew, the editor of the Carnegie Institution of Washington book *Algal Culture-from Laboratory to Pilot Plant*, stated, "the algae culture may fill a very real need,"^[6] which *Science News Letter* turned into "future populations of the world will be kept from starving by the production of improved or educated algae related to the green scum on ponds." The cover of the magazine also featured Arthur D. Little's Cambridge laboratory, which was a supposed future food factory. A few years later, the magazine published an article entitled "Tomorrow's Dinner", which stated, "There is no doubt in the mind of scientists that the farms of the future will actually be factories." *Science Digest* also reported, "common pond scum would soon become the world's most important agricultural crop." However, in the decades since those claims were made, algae have never been cultivated on nearly that scale.

Current status

Since the growing world food problem of the 1940s was solved by better crop efficiency and other advances in traditional agriculture, *Chlorella* has not seen the kind of public and scientific interest that it had in the 1940s. *Chlorella* has only a niche market for companies promoting it as a dietary supplement.^[3]

Production difficulties

The experimental research had been carried out in laboratories, rather than in the field, and scientists discovered that *Chlorella* would be much more difficult to produce than previously thought. To be practical, the algae grown would have to be placed either in artificial light or in shade to produce at its maximum photosynthetic efficiency. Also, for the *Chlorella* to be as productive as the world would require, it would have to be grown in carbonated water, which would have added millions to the production cost. A sophisticated process, and additional cost, was required to harvest the crop, and, for *Chlorella* to be a viable food source, its cell walls would have to be pulverized. The plant could reach its nutritional potential only in highly modified artificial situations. Another problem was developing sufficiently palatable food products from *Chlorella*.^[7]

Although the production of *Chlorella* looked promising and involved creative technology, it has not to date been cultivated on the scale some had predicted. It has not been sold on the scale of *Spirulina*, soybean products, or whole-grains. Costs have remained high, and *Chlorella* has for the most part been sold as a health food, for cosmetics, or as animal feed.^[7] After a decade of experimentation, studies showed that, following exposure to sunlight, *Chlorella* captured just 2.5% of the solar energy, not much

better than conventional crops.^[3] *Chlorella*, too, was found by scientists in the 1960s to be impossible for humans and other animals to digest in its natural state due to the tough cell walls encapsulating the nutrients, which presented further problems for its use in American food production.^[3]

Use in carbon dioxide reduction and oxygen production

In 1965, the Russian CELSS experiment BIOS-3 determined that 8 m² of exposed *Chlorella* could remove carbon dioxide and replace oxygen within the sealed environment for a single human. The algae were grown in vats underneath artificial light.^[8]

Alternative medicine

Chlorella is consumed as a health supplement primarily in the United States and Canada and as a food supplement in Japan.^[9] *Chlorella* has a number of purported health effects,^[10] including an ability to treat cancer.^[11] However, according to the American Cancer Society, "available scientific studies do not support its effectiveness for preventing or treating cancer or any other disease in humans".^[11]



Chlorella in pill form.

Health concerns

A 2002 study showed that *Chlorella* cell walls contain lipopolysaccharides, endotoxins found in Gram-negative bacteria that affect the immune system and may cause inflammation.^{[12][13][14]} However, more recent studies have found that the lipopolysaccharides in organisms other than Gram-negative bacteria, for example in cyanobacteria, are considerably different from the lipopolysaccharides in Gram-negative bacteria.^[15] A 2010 study found that *Chlorella* contains a peptide, known as Chlorella-11, that actually inhibits the inflammation caused by lipopolysaccharides from Gram-negative bacteria.^[16]

Aquaria

Chlorella can create green and opaque water problems in aquaria. *Chlorella* can grow due to high nitrate and phosphate levels or direct sunlight. Decreasing phosphate and nitrate by partial water change and moving the aquarium to shade can help alleviate the problem.

See also

- Calvin cycle
- List of ineffective cancer treatments
- Quorn (food product)
- Soyuz 28, a 1978 space mission which included experiments on *Chlorella*



Wikimedia Commons has media related to ***Chlorella***.

- Spirulina (dietary supplement)

References

- Scheffler, John (3 September 2007). "Underwater Habitats". *Illumin*. **9** (4).
- Zelitch, I. (1971). *Photosynthesis, Photorespiration and Plant Productivity*. Academic Press. p. 275.
- Belasco, Warren (July 1997). "Algae Burgers for a Hungry World? The Rise and Fall of Chlorella Cuisine". *Technology and Culture*. **38** (3): 608–34. doi:10.2307/3106856. JSTOR 3106856.
- "Chlorella". American Cancer Society. 29 April 2011. Retrieved August 2013. Check date values in: |access-date= (help) Archived (https://web.archive.org/web/20130905235019/http://5 September 2013 at the Wayback Machine.
- Yongmanitchai, W; Ward, OP (1991). "Growth of and omega-3 fatty acid production by *Phaeodactylum tricornutum* under different culture conditions". *Applied and Environmental Microbiology*. **57** (2): 419–25. PMC 182726 . PMID 2014989.
- Burlew, John, ed. (1953). *Algal Culture-from Laboratory to Pilot Plant*. Carnegie Institution of Washington. p. 6. ISBN 0-87279-611-6.
- Becker, E.W. (2007). "Micro-algae as a source of protein". *Biotechnology Advances*. **25** (2): 207–10. doi:10.1016/j.biotechadv.2006.11.002. PMID 17196357.
- "Russian CELSS Studies". *Space Colonies*. Permanent. Retrieved 3 November 2012.
- Chlorella (http://health.yahoo.net/galecontent/chlorella)
- Sun Chlorella, Going Green from the Inside Out – LA Sentinel (http://www.lasentinel.net/index.php?option=com_content&view=article&id=3180:sun-chlorella-going-green-from-the-inside-out&catid=67&Itemid=157)
- "Chlorella". American Cancer Society. 29 April 2011. Archived from the original on 5 September 2013. Retrieved 13 September 2013.
- Sasik, Roman (19 January 2012). "Trojan horses of *Chlorella* 'superfood' ". Robb Wolf.
- Armstrong, PB; Armstrong, MT; Pardy, RL; Child, A; Wainwright, N (2002). "Immunohistochemical demonstration of a lipopolysaccharide in the cell wall of a eukaryote, the green alga, Chlorella". *The Biological bulletin*. **203** (2): 203–4. doi:10.2307/1543397. PMID 12414578.
- Qin, Liya; Wu, Xuefei; Block, Michelle L.; Liu, Yuxin; Breese, George R.; Hong, Jau-Shyong; Knapp, Darin J.; Crews, Fulton T. (2007). "Systemic LPS causes chronic neuroinflammation and progressive neurodegeneration". *Glia*. **55** (5): 453–62. doi:10.1002/glia.20467. PMC 2871685 . PMID 17203472.
- Stewart, Ian; Schluter, Philip J; Shaw, Glen R (2006). "Cyanobacterial lipopolysaccharides and human health - a review". *Environmental Health: A Global Access Science Source*. **5**: 7. doi:10.1186/1476-069X-5-7. PMC 1489932 . PMID 16563160.
- Cherng, JY; Liu, CC; Shen, CR; Lin, HH; Shih, MF (2010). "Beneficial effects of Chlorella-11 peptide on blocking LPS-induced macrophage activation and alleviating thermal injury-induced inflammation in rats". *International journal of immunopathology and pharmacology*. **23** (3): 811–20. PMID 20943052.

Retrieved from "https://en.wikipedia.org/w/index.php?title=Chlorella&oldid=752587064"

Categories: Trebouxiophyceae genera | Edible algae | Dietary supplements | Aquaculture | Alternative cancer treatments

- This page was last modified on 2 December 2016, at 03:05.

- Text is available under the Creative Commons Attribution-ShareAlike License; additional terms may apply. By using this site, you agree to the Terms of Use and Privacy Policy. Wikipedia® is a registered trademark of the Wikimedia Foundation, Inc., a non-profit organization.