

[Help](#)

# Search results

Results **1 - 100** of **1,418**[Content pages](#)[Multimedia](#)[Everything](#)[Advanced](#)**There is a page named "Reference Daily Intake" on Wikipedia**

## Reference Daily Intake

The **Reference Daily Intake** or Recommended **Daily Intake** (RDI) is the **daily intake** level of a nutrient that was considered in 1968 to be sufficient to meet

[10 KB \(945 words\) - 19:45, 30 December 2016](#)

## Dietary Reference Intake

uses **Reference Daily Intakes** (RDIs) and **Daily Values** (%DV) based on outdated RDAs from 1968. The DRI provides several different types of **reference** value:

[21 KB \(1,695 words\) - 16:44, 13 December 2016](#)

## Reference Intakes

**Reference Intakes** (RIs) are a means of communicating maximum recommended nutrient **intake** to the public. **Reference Intakes** replaced the term Guideline

[3 KB \(261 words\) - 11:10, 7 May 2016](#)

## Tolerable daily intake

Tolerable **daily intake** (TDI) refers to the **daily** amount of a chemical that has been assessed safe for human being on long-term basis (usually whole lifetime)

[2 KB \(286 words\) - 22:51, 17 May 2016](#)

## Acceptable daily intake

Acceptable **daily intake** or ADI is a measure of the amount of a specific substance (originally applied for a food additive, later also for a residue of

[5 KB \(658 words\) - 06:46, 3 October 2016](#)

## RDI

output data from an image sensor **Reference Daily Intake** or Recommended **Daily Intake**, a quantity of recommended nutrient **intake** Relationship Development Intervention

[1 KB \(197 words\) - 05:22, 19 October 2016](#)

## Tolerable weekly intake

TWI, respectively. Tolerable **intakes**, whether **daily**, weekly, or monthly, should not be confused with **reference daily intake**, or RDI. RDI refers to the amount

[7 KB \(826 words\) - 19:49, 10 July 2016](#)

### Guideline **Daily** Amount

by **reference intakes**. Traffic light label "Guideline **Daily** Amounts (Using the front of pack label)". Label. Retrieved August 12, 2016. **Daily Intake**  
4 KB (528 words) - 15:17, 18 December 2016

### Dietary **Reference** Values

recommended nutritional **intakes** for the UK population. The DRVs can be divided into three types: RNI - **Reference Nutrient Intake** (95% of the population's  
8 KB (881 words) - 14:02, 18 December 2016

### Pantothenic acid (section Dietary **reference intake**)

Dietary **Reference Intakes**. For U.S. food and dietary supplement labeling purposes the amount in a serving is expressed as a percent of **Daily** Value (%DV)  
19 KB (1,879 words) - 17:04, 14 November 2016

### Diet Coke Plus

nutrients only if it contains at least 10% more of the **Reference Daily Intake** or **Daily Reference Value** compared to the usual amount. Because Diet Coke  
4 KB (416 words) - 23:45, 10 November 2016

### Health effects of salt (section Recommended **intake**)

recommendation by several authorities "to reduce **daily** sodium **intake** to less than 2,300 milligrams and further reduce **intake** to 1,500 mg among persons who are 51  
30 KB (3,203 words) - 19:06, 26 December 2016

### Fluid balance

and on the environmental temperature and humidity. In the US, the **reference daily intake** (RDI) for water is 3.7 litres per day (l/day) for human males older  
14 KB (1,852 words) - 01:15, 26 November 2016

List of engineering colleges affiliated to Visvesvaraya Technological University  
ZERO **intake** for 2014-15 as per the Public notice issued by VTU in Prajavani, Kannada **daily** newspaper, Page number 5, dated 29-June-2014, VTU **Reference** number :  
59 KB (592 words) - 08:59, 17 December 2016

### Drinking (redirect from Fluid **intake**)

insipidus. A **daily intake** of water is required for the normal physiological functioning of the human body. The USDA recommends a **daily intake** of total water:  
11 KB (1,148 words) - 19:33, 28 November 2016

### Blooming onion (category Articles needing additional **references** from August 2007)

fat. For **reference**, the US **Reference Daily Intake** for fat is 65g and for sodium is 2300 mg, assuming a 2000 calorie diet, while typical **daily** food energy  
5 KB (469 words) - 03:00, 11 December 2016

### Serum chloride (category Articles needing additional **references** from November 2013)

serum chloride level. The North American Dietary **Reference Intake** recommends a **daily intake** of between 2300 and 3600 mg/day for 25-year-old males  
2 KB (228 words) - 07:01, 13 September 2016

## Low-fat diet

a low-carbohydrate diet (<40 g/day) and a low-fat diet (<30% of **daily energy intake** from total fat [<7% saturated fat]) revealed that low-carbohydrate

[8 KB \(943 words\) - 15:21, 29 May 2016](#)

## Manganese deficiency (medicine)

is a vital element of nutrition in very small quantities (adult male **daily intake** 2.3 milligrams). However, in greater amounts manganese, like most metals

[2 KB \(291 words\) - 18:55, 23 October 2015](#)

## Biotin (section Dietary **Reference Intake**)

AI. A table of the pre-change adult Daily Values is provided at **Reference Daily Intake**. Food and supplement companies have until July 2018 to comply with

[25 KB \(2,832 words\) - 09:16, 13 December 2016](#)

## Emergen-C (category Articles needing additional **references** from January 2010)

4 times the vitamin B12, and 5 times the vitamin B6 of the USDA **Reference Daily Intake** based on a 2000 calorie diet. The efficacy of vitamin C megadoses

[5 KB \(541 words\) - 13:31, 23 December 2016](#)

## GDA

Pakistan. Greater Dublin Area Guideline **Daily** Amount, UK equivalent of the North American term Dietary **Reference Intake**. GNU Data Access – the GNOME attempt

[432 bytes \(53 words\) - 04:41, 19 October 2016](#)

## Co-carcinogen

**daily** consumption for supplement called Tolerable Upper **Intake** Levels (UL), for example World Health Organization suggest the Tolerable Upper **Intake** Levels

[9 KB \(1,247 words\) - 12:12, 18 November 2016](#)

## Riboflavin (section Dietary **reference intake**)

Dietary **Reference Intakes**. For U.S. food and dietary supplement labeling purposes the amount in a serving is expressed as a percent of **Daily** Value (%DV)

[40 KB \(4,535 words\) - 17:35, 30 December 2016](#)

## Protein (nutrient)

Standing Committee on the Scientific Evaluation of Dietary **Reference Intakes**. Dietary **Reference Intakes** for Energy, Carbohydrate, Fiber, Fat, Fatty Acids, Cholesterol

[38 KB \(4,446 words\) - 17:53, 1 December 2016](#)

## Vitamin B6 (category Articles needing additional medical **references** from October 2016)

Dietary **Reference Intakes**. For U.S. food and dietary supplement labeling purposes the amount in a serving is expressed as a percent of **daily** value (%DV)

[31 KB \(3,612 words\) - 12:21, 30 December 2016](#)

## UL

microliter (μl), a unit of volume Tolerable Upper **Intake** Level, part of the Dietary **Reference Intake** system of the US National Academy of Sciences UI

[2 KB \(225 words\) - 04:05, 19 October 2016](#)

### Committed dose (redirect from Annual limit on **intake**)

radiological protection is a measure of the stochastic health risk due to an **intake** of radioactive material into the human body. Stochastic in this context  
19 KB (2,676 words) - 18:01, 28 November 2016

### Nutrition and pregnancy (category All articles lacking reliable **references**)

Nutrition and pregnancy refers to the nutrient **intake**, and dietary planning that is undertaken before, during and after pregnancy. Nutrition of the fetus  
21 KB (2,594 words) - 04:13, 8 November 2016

### Snacking (category Articles needing additional **references** from September 2011)

have a recommended **daily** calorie **intake** of about 2400 kcal. For sedentary women the **intake** is about 2000 kcal. The average calorie **intake** during a meal is  
17 KB (2,487 words) - 11:49, 7 December 2016

### Folic acid (category All articles lacking reliable **references**)

unchanged at 400 µg. A table of the pre-change adult **Daily** Values is provided at **Reference Daily Intake**. Food and supplement companies have until July 28  
75 KB (8,441 words) - 14:25, 2 January 2017

### Salt substitute

purac.com/purac\_com/01d7a1a1dce330c46ada4f832de8e6ca.php/ "Dietary **Reference Intakes** : Electrolytes and Water" (PDF). The National Academies. 2004. Retrieved  
3 KB (337 words) - 18:23, 2 December 2016

### Vegetarian Diet Pyramid

the pyramid includes a table with recommended number of **daily** servings per **daily** calorie **intake**. According to the 2010 Dietary Guidelines for Americans  
4 KB (423 words) - 01:59, 12 September 2016

### Hungry Horse

nearly 100% of the recommended **daily** energy **intake** for adult women. It also contains 53g of saturated fat (the recommended **daily** allowance is 20g for women  
2 KB (122 words) - 21:12, 19 October 2016

### Food energy (section Recommended **daily intake**)

groups have varying **daily** activity levels, Australia's National Health and Medical Research Council recommends no single **daily** energy **intake**, but instead prescribes  
18 KB (2,133 words) - 12:25, 2 January 2017

### Acetylated distarch adipate

foods as a bulking agent, stabilizer and a thickener. No acceptable **daily intake** for human consumption has been determined. Dextrin (E1400) Modified  
1 KB (56 words) - 09:33, 3 October 2016

### Vitamin E (section Dietary **Reference Intake**)

revised to 15 mg. A table of the pre-change adult **Daily** Values is provided at **Reference Daily Intake**. Food and supplement companies have until July 28  
40 KB (4,485 words) - 17:18, 1 January 2017

## Rhodinol

cosmetics and perfumery to impart flowery odors. Rhodinol at The Good Scents Company  
Acceptable **daily intake** Citronellol Geraniol Perfume allergy  
[1 KB \(37 words\) - 07:14, 21 June 2016](#)

## Eating (redirect from Food **intake**)

For humans, eating is an activity of **daily** living. Some individuals may limit their amount of nutritional **intake**. This may be a result of a lifestyle  
[17 KB \(2,214 words\) - 12:13, 20 December 2016](#)

## Iron(II) fumarate

fumaric acid, occurring as a reddish-orange powder, used to supplement iron **intake**. It has the chemical formula C<sub>4</sub>H<sub>2</sub>FeO<sub>4</sub>. Pure ferrous fumarate has an iron  
[2 KB \(82 words\) - 16:30, 30 November 2015](#)

Disodium ribonucleotides (category Articles needing additional **references** from July 2015)  
available data (chemical, biochemical, and toxicological), the total **daily intake** of the substance arising from its use or uses at levels necessary to  
[3 KB \(353 words\) - 09:00, 3 January 2017](#)

## Essential amino acid (section Minimum **daily intake**)

based on the USDA National Nutrient Database Release. The recommended **daily intakes** for children aged three years and older is 10% to 20% higher than adult  
[17 KB \(1,792 words\) - 16:20, 13 December 2016](#)

## Vitamin

"Dietary **Reference Intakes: Vitamins**". The National Academies. 2001. Amount not determinable due to lack of data of adverse effects. Source of **intake** should  
[51 KB \(5,137 words\) - 23:33, 19 December 2016](#)

Vitamin K (category Articles needing additional medical **references** from November 2015)  
revised to 120 µg. A table of the pre-change adult **Daily Values** is provided at **Reference Daily Intake**. Food and supplement companies have until July 28  
[58 KB \(6,928 words\) - 21:09, 31 December 2016](#)

## Cod liver oil

4080 µg of retinol (vitamin A) and 34 µg of vitamin D. The Dietary **Reference Intake** of vitamin A is 900 µg per day for adult men and 700 µg per day for  
[11 KB \(1,302 words\) - 12:18, 4 December 2016](#)

## Saturated fat

**daily energy intake** and less than 7% for high-risk groups. If populations are consuming less than 10%, they should not increase that level of **intake**.  
[49 KB \(4,958 words\) - 16:57, 3 January 2017](#)

## Thiamine (section Dietary **Reference Intakes**)

Dietary **Reference Intakes**. For U.S. food and dietary supplement labeling purposes the amount in a serving is expressed as a percent of **Daily Value** (%DV)  
[33 KB \(3,742 words\) - 17:35, 30 December 2016](#)

### Fibre supplements

constipation. It is therefore better to regulate and moderate **daily fibre intake**. If increased fibre **intake** is desired, gradually increasing the amount over a few

18 KB (2,143 words) - 16:27, 20 December 2016

### Shellfish Association of Great Britain

**Reference Nutrient Intake** (RNI) is a **daily** amount that is enough or more than enough for 97% of people. The RNI is similar to the Recommended **Daily** Amount

13 KB (1,840 words) - 07:05, 11 September 2016

### Vitamin D (section Dietary **reference intakes**)

Accordingly, the Dietary **Reference Intake** for vitamin D assumes no synthesis occurs and all of a person's vitamin D is from food **intake**. As vitamin D is synthesized

116 KB (13,748 words) - 15:33, 30 December 2016

### Vitamin C (section Recommended **intake**)

showed that their **daily intake** of vitamin C averaged between 52 and 62 mg/day, an amount approximately the dietary **reference intake** (DRI), even at times

115 KB (12,975 words) - 22:25, 1 January 2017

### Canadian health claims (section Current Canadian **intakes** of fruits and vegetables)

providing a minimum of 5% of the Recommended **Daily Intake** of the nutrient per serving of stated size and **reference** amount of the food. Dietary sodium can

47 KB (6,343 words) - 02:42, 14 November 2016

### Iodine in biology (section Recommended **intake**)

membranes, making them less reactive to free oxygen radicals. The **daily** Dietary **Reference Intake** recommended by the United States Institute of Medicine is between

33 KB (3,823 words) - 12:42, 16 December 2016

### Hypervitaminosis A (category Articles needing more detailed **references**)

intake may occur. Children are particularly sensitive to vitamin A, with **daily intakes** of 1500 IU/kg body weight reportedly leading to toxicity. Provitamin

28 KB (3,246 words) - 13:08, 30 December 2016

### Weight management (section Increase protein **intake**, especially at breakfast)

healthy eating and physical exercise to equate energy expenditure and energy **intake**.

Developing healthy eating habits while using tips that will keep us fuller

28 KB (3,959 words) - 12:35, 14 December 2016

### E-6837

active). Oral administration of E-6837 reduced food **intake**, but only transiently. In rats, twice **daily** administration of E-6837 over the course of 4 weeks

3 KB (340 words) - 18:33, 11 August 2016

Heterocyclic amine formation in meat (category Articles needing additional **references** from September 2015)

shows the average **daily** lifetime consumption of HCAs for subgroups of the U.S. population. This analysis was based on the food **intake** data of 27215 people  
18 KB (2,136 words) - 02:01, 8 November 2016

Choline (category Articles needing additional medical **references** from January 2014)

Nutrients Database has choline content for many foods. Here are the **daily** adequate **intake** (AI) levels and upper limits (UL) for choline in milligrams, taken  
75 KB (8,113 words) - 20:09, 1 January 2017

B vitamins (category All articles lacking reliable **references**)

planning to become pregnant are usually encouraged to increase **daily** dietary folic acid **intake** and/or take a supplement. Many of the following substances  
39 KB (2,650 words) - 21:35, 28 December 2016

Vitamin C megadosage

Such dosages correspond to amounts well beyond the current Dietary **Reference Intake**. Oral dosages are usually divided and consumed in portions over the  
24 KB (2,941 words) - 12:18, 17 December 2016

Vitamin A (section Recommended **daily** allowance)

Database for Standard **Reference**, Release 20[dead link] USDA, Feb. 2008 Chapter 4, Vitamin A[dead link] of Dietary **Reference Intakes** for Vitamin A, Vitamin  
50 KB (6,257 words) - 12:26, 30 December 2016

Outline of nutrition

Prohormone Prostaglandins Recommended Dietary Allowances (RDA) **Reference Daily Intake** (RDI) Salad bar Saturated fat Seed Simple carbohydrate Somatotropin  
15 KB (1,386 words) - 14:23, 11 October 2016

Zeaxanthin

acceptable **daily intake** level for zeaxanthin was proposed as 0.75 mg/kg of body weight/day, or 53 mg/day for a 70 kg adult. In humans, an **intake** of 20 mg/day  
19 KB (2,094 words) - 15:30, 30 December 2016

Ponceau 4R

toxicity at the permitted dietary exposures; the European acceptable **daily intake** (ADI) is 0.7 mg/kg and the WHO/FAO ADI is 4 mg/kg. The production process  
8 KB (808 words) - 10:44, 26 August 2016

Seaholm Power Plant (section Water **Intake** Structure)

The facility originally included a Turbine Generator Building, a Water **Intake** Structure and an Oil Heating Building. A guard booth and a storage building  
8 KB (850 words) - 00:56, 1 December 2016

## Resistant starch

the acceptable **daily intake** of resistant starch may be as high as 45 grams in adults, an amount exceeding the total recommended **intake** for dietary fiber

[30 KB \(3,178 words\) - 12:22, 16 December 2016](#)

## Tocopherol

determined shortly thereafter in 1938. The U.S. Dietary **Reference Intake** (DRI)

Recommended **Daily** Amount (RDA) for a 25-year-old male for Vitamin E is 15 mg/day

[49 KB \(6,303 words\) - 16:01, 16 December 2016](#)

## Cryptoxanthin

Charles P; Rice, Terri; Il'yasova, Dora; Wrensch, Margaret (2010). "**Daily intake** of antioxidants in relation to survival among adult patients diagnosed

[6 KB \(437 words\) - 07:35, 29 May 2016](#)

## Calcium (category All articles lacking reliable references)

sources suggest a correlation between high calcium **intake** (2000 mg per day, or twice the U.S. recommended **daily** allowance, equivalent to six or more glasses

[55 KB \(6,665 words\) - 17:07, 25 December 2016](#)

## Copper in health (category Articles needing more detailed references)

this **daily intake** level is not recommended by any authority.[citation needed] The World Health Organization has not developed minimum **daily intakes** for

[102 KB \(12,035 words\) - 15:18, 11 December 2016](#)

## Beta-Carotene

carotenoids before sale to improve the color and clarity. The average **daily intake** of  $\beta$ -carotene is in the range 2–7 mg, as estimated from a pooled analysis

[27 KB \(2,741 words\) - 18:30, 31 December 2016](#)

## Saturated fat and cardiovascular disease controversy (category Pages with reference errors)

of cardiovascular diseases' recommends a low **intake** of SFA, less than 7% of **daily** calories, and **intake** of foods rich in myristic and palmitic acids should

[55 KB \(6,201 words\) - 10:21, 26 December 2016](#)

## Iron(II) gluconate

Toxicity, Iron Iron overdose The British Pharmacopoeia Secretariat (2009). "Index, BP 2009" (PDF). Retrieved 5 July 2009. Acceptable **daily intake**

[4 KB \(323 words\) - 20:17, 24 February 2016](#)

## Dal (category Articles needing additional references from March 2014)

= Copper; Mn = Manganese; Se = Selenium; %DV = %**Daily** value i.e. % of DRI ( Dietary **reference intake** ) Note : All nutrient values including protein are

[19 KB \(1,741 words\) - 20:36, 3 January 2017](#)

## University of Bristol admissions controversy (section Notes and references)

engineering **intakes**". The **Daily** Telegraph. London. Paton, Graeme (2012-10-01). "Public schools threaten university boycott". The **Daily** Telegraph. London

[33 KB \(3,463 words\) - 11:40, 13 December 2016](#)



## Dose

be exposed to Overdose, **intaking** more than your required dose. Absorbed dose, an amount of radiation received Defined **daily** dose, a World Health Organization  
3 KB (452 words) - 18:15, 6 December 2016

## Quinoline Yellow WS

principle, required labelling and temporarily reduced the acceptable **daily intake** (ADI) for the food colorings; the UK FSA called for voluntary withdrawal  
8 KB (847 words) - 06:53, 16 August 2016

## Index of topics related to life extension

Reliability theory Reliability theory of aging Redox (oxidation) **Reference Daily Intake**  
Regeneration Regenerative medicine Rejuvenation Reliability theory  
9 KB (777 words) - 16:21, 27 August 2016

## Food chemistry

consumed in excessive amounts. Bulk minerals with a **Reference Daily Intake** (RDI, formerly Recommended **Daily** Allowance (RDA)) of more than 200 mg/day are calcium  
13 KB (1,791 words) - 13:11, 9 October 2016

## Lutein

lutein and zeaxanthin **intake** lowers the risk of cataract development. Consumption of more than 2.4 mg of lutein/zeaxanthin **daily** from foods and supplements  
23 KB (2,557 words) - 13:36, 31 December 2016

## Hydrolyzed protein (category Articles needing additional references from April 2010)

threat. the hydrolyzed protein are also called zwitterions Acceptable **daily intake**  
Acid-hydrolyzed vegetable protein E number Food allergy Food intolerance  
2 KB (205 words) - 22:51, 30 November 2016

## Fasciculation (category Articles needing additional medical references from January 2015)

consume the recommended **daily** amount of magnesium, inadequate **intake** may also be a common cause. Treatment consists of increased **intake** of magnesium from dietary  
8 KB (907 words) - 22:32, 13 November 2016

## Secoisolariciresinol diglucoside

Charles P; Rice, Terri; Il'Yasova, Dora; Wrench, Margaret (2010). "**Daily intake** of antioxidants in relation to survival among adult patients diagnosed  
5 KB (366 words) - 14:02, 9 August 2016

## Combined drug intoxication (redirect from Multiple Drug Intake)

Combined drug intoxication (CDI), also known as multiple drug **intake** (MDI) or lethal polydrug/polypharmacy intoxication, is an unnatural cause of human  
18 KB (1,925 words) - 06:55, 27 December 2016

## Sorbitan monostearate (category Articles needing additional references from March 2010)

Retrieved 18 March 2010. <http://www.inchem.org/documents/jecfa/jecmono/v05je47.htm>  
Acceptable **daily intake** Polysorbate Sorbitan tristearate (Span 65) Yeast  
3 KB (175 words) - 02:05, 9 November 2016

Cylinder head porting (category Articles needing additional **references** from June 2008)

Cylinder head porting refers to the process of modifying the **intake** and exhaust ports of an internal combustion engine to improve the quality and quantity

21 KB (3,024 words) - 14:32, 29 November 2016

Medical News Bulletin (category Articles needing additional **references** from December 2016)

readers can determine their total **daily** energy expenditure, anxiety and depression levels, diabetes risk, water **intake**, ideal weight, and body mass index

4 KB (304 words) - 15:46, 28 December 2016

Weight loss effects of water (category Articles needing more detailed **references**)

drinking water **intake** (tap + bottled + carbonated water) in percentage of total water **intake** than non-consumers, and lower mean **intakes** of milk, bottled

9 KB (1,137 words) - 03:59, 11 December 2016

MedDietScore

and alcohol **intake**, were included. Based on the suggested **intake** monotonic functions were applied (by the exception of alcohol **intake**) in order to

5 KB (608 words) - 21:16, 16 May 2016

Okinawa diet (category Articles needing additional **references** from March 2016)

primarily only eaten at monthly festivals and the **daily** diet is almost entirely plant based. The dietary **intake** of Okinawans compared to other Japanese circa

9 KB (1,173 words) - 16:31, 9 December 2016

Disodium guanylate (category Articles needing additional **references** from February 2010)

of non-animal derived sources, such as seaweed or yeast. Acceptable **daily intake** Disodium inosinate <http://pubchem.ncbi.nlm.nih.gov/summary/summary>

3 KB (252 words) - 07:09, 25 September 2016

Protein-sparing modified fast (category All articles lacking reliable **references**)

**daily intake** of well under 1000 calories. For an average male with a TDEE (total **daily** energy expenditure) of 2500 calories/day, and a caloric **intake**

9 KB (1,232 words) - 14:40, 20 December 2016

Alcohol and cancer (section Recommended maximum alcohol **intake**)

cancers in men and one in 33 in women were caused by past or current alcohol **intake**. The International Agency for Research on Cancer (Centre International

92 KB (10,891 words) - 02:50, 4 January 2017

VR6 engine (category Articles needing additional **references** from September 2007)

the transversely mounted engine) has six cam lobes to control the three **intake** and three exhaust valves of the front cylinder bank, without using rockers

23 KB (2,366 words) - 16:12, 19 December 2016

Fecal impaction (category Articles needing additional **references** from November 2012)

under the supervision of a physician), an adequate **intake** of liquids (water) and dietary fiber and **daily** exercise. The treatment of fecal impaction requires

9 KB (1,091 words) - 00:18, 3 January 2017

### Kidney stone disease

stone formation was used as an indicator of excess calcium **intake** by the **Reference Daily Intake** committee for calcium in adults. In the early 1990s, a study  
[101 KB \(10,498 words\) - 21:33, 27 December 2016](#)

### Medication overuse headache (category Articles needing additional **references** from July 2015)

"transforms" over time from an episodic condition to chronic **daily** headache due to excessive **intake** of acute headache relief medications. MOH is a serious,  
[18 KB \(1,949 words\) - 18:47, 30 September 2016](#)

### Nutrition facts label

for babies, the following Daily Values are used. These are called **Reference Daily Intake** (RDI) values and were originally based on the highest 1968 Recommended  
[29 KB \(3,126 words\) - 17:54, 25 December 2016](#)

### Cooking oil (category Articles needing additional **references** from May 2008)

institute of medicine of the national academies (2005). Dietary **Reference Intakes** for Energy, Carbohydrate, Fiber, Fat, Fatty Acids, Cholesterol, Protein  
[34 KB \(3,111 words\) - 08:06, 28 December 2016](#)

### Drinking water (category All articles lacking reliable **references**)

glasses of water per day. In the United States, the **reference daily intake** (RDI) for total water **intake** is 3.7 litres per day (L/day) for human males older  
[43 KB \(5,188 words\) - 16:05, 2 January 2017](#)

[View \(previous 100 | next 100\)](#) (20 | 50 | 100 | 250 | 500)

Retrieved from "<https://en.wikipedia.org/wiki/Special:Search>"

---